

Recall -- Firm Press Release

FDA posts press releases and other notices of recalls and market withdrawals from the firms involved as a service to consumers, the media, and other interested parties. FDA does not endorse either the product or the company. This listserv covers mainly Class I (life-threatening) recalls. A complete listing of recalls can be found in the FDA Enforcement Report at: <http://www.fda.gov/opacom/Enforce.html>

Napastyle Recalls Romano Pitchers and Tumblers Because of Possible Health Risk

Contact:

Dana Smith
510-524-2066

FOR IMMEDIATE RELEASE -- November 9, 2007 -- NapaStyle of Napa, California is recalling their Romano Pitchers and Tumblers, because they may contain high levels of leachable lead. No illnesses have been reported to date. The recall was a result of an FDA test that showed that the items may contain lead introduced by the manufacturing process by our supplier.

Consumption of leachable lead from the ceramicware can cause severe health problems; especially in infants, young children and pregnant women. High lead exposures can cause a baby to have low birth weight or be born prematurely, or can result in miscarriage or stillbirth. Lead can cause damage to the central nervous system, resulting in learning disabilities and behavioral disorders that could last a lifetime. Children with lead poisoning may not look or act sick.

The Romano Pitchers and Tumblers were distributed through our retail stores in California and nationwide through our mail order catalog.

These pieces are roughly glazed, with streaks of dark brown clay showing through the variegated green finish. Product Specs:

- Pitcher, 44 oz., 7 1/2" h.
- Four Tumblers, 145 oz., 4 1/4" h
- SKU #'s: 4410, 4411, 4710

The recall was the result of a routine sampling program by the FDA, which revealed that the finished products contained leachable lead that exceeded FDA guidelines. NapaStyle has ceased the production and distribution of the product and will not be reordering this product in the future.

We kindly ask that you return all such products to us, at our expense, for a full refund. Please return all items to: NapaStyle Distribution Center, 360 Industrial Court, Suite A, Benicia, CA 94510. Once the merchandise is received into our office you will immediately be given a full refund or credit. We do ask that you take care of this return within 30 days.

Customers with questions should contact NapaStyle Customer Service at 1-866-776-1600.

#

FDA's Recalls, Market Withdrawals and Safety Alerts Page: <http://www.fda.gov/opacom/7alerts.html>

Thanks for subscribing to the FDA Recalls list.

To subscribe to or unsubscribe from this list, go to
<https://list.nih.gov/archives/fda-recalls-l.html>